



NIRYO

HUMAN - MOTION - ROBOT

TECHNICAL SPECIFICATIONS

LARGE GRIPPER

NED ACCESSORY



Weight	90 g
Power Supply	7.6 V
Max opening width	60 mm
Picking distance from end effector base	80 mm
Servo motor included	XL-320 Servo Motor
Operating temperature	5-45°C



contact@niryo.com
www.niryo.com



NIRYO

HUMAN - MOTION - ROBOT

TECHNICAL SPECIFICATIONS

ADAPTIVE GRIPPER

NED ACCESSORY

Weight	110 g
Power Supply	7.6 V
Max operating width	90 mm
Picking distance from end effector base	85 mm
Motor	Dynamixel XL-320
Operating temperature	5-45°C



contact@niryo.com
www.niryo.com



NIRYO

HUMAN - MOTION - ROBOT

TECHNICAL SPECIFICATIONS

VACUUM PUMP

NED ACCESSORY



Weight (on the end effector tool)	10 g
Total weight	170 g
Payload	300 g
Picking distance from end effector base	47 mm
Vacuum Pump control	Integrated XL320 Servo Motor
Power Supply	7.6 V
Operating temperature	5-45°C
Diamètre de la pompe	20 mm



contact@niryo.com
www.niryo.com



NIRYO

HUMAN - MOTION - ROBOT

TECHNICAL SPECIFICATIONS

ELECTROMAGNET

NED ACCESSORY

Weight	42 g
Power Supply	5 V
Picking distance from end effector base	22,5 mm
Max operating width	20 mm
Picking Surface	20 mm
Control Interface	Digital output
Operating temperature	5-45°C



contact@niryo.com
www.niryo.com